/846,846	
	PANASIK ET AL.
taminer	Art Unit
son M. Perilla	2638
REMAINS) CLOSED in this ap other appropriate communication TS. This application is subject t	
<u>⁄ 6, 2005</u> .	,
ner.	
en received. en received in Application No	
	complying with the requirements
	S'S AMENDMENT or NOTICE OF ation is deficient.
s Patent Drawing Review(PTO nendment / Comment or in the C c)) should be written on the drawi eader according to 37 CFR 1.121	Office action of ngs in the front (not the back) of (d).
 Interview Summary Paper No./Mail Da Examiner's Amenda 	te <u>20050706</u> .
	iner. 35 U.S.C. § 119(a)-(d) or (f). en received. en received in Application No nents have been received in this application. 3. Note the attached EXAMINER eason(s) why the oath or declarate submitted. S Patent Drawing Review (PTO mendment / Comment or in the Comment or in the Comment of BIOLOGICAL MATERIAL OF

EXAMINER'S AMENDMENT

1. Claims 1-31 are pending in the instant application.

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Ronald O. Neerings on July 6, 2005.

The application has been amended as follows:

Regarding claim 1, in line 16, "the Nyquist" is replaced by -a Nyquist--.

Regarding claim 8, in line 2, "said DSP" is replaced by –a DSP--, and, in line 3, "a DSP" is replaced by –said DSP--.

Regarding claim 10, in line 2, "an RF" is replaced by –said RF—and "a power amplifier" is replaced by –said power amplifier--.

Regarding claim 15, in line 19, "the Nyquist" is replaced by -a Nyquist--.

Regarding claim 29, in line 12, "said stored outputs" is replaced by –said stored compressed outputs--, and, in line 15, "the Nyquist" is replaced by –a Nyquist--.

Regarding claim 30, in line 19, "the Nyquist" is replaced by –a Nyquist--, in line 22, "all output" is replaced by –all outputs—, and in lines 22-23, "said analog output" is replaced by –an analog output--.

Application/Control Number: 09/846,846 Page 3

Art Unit: 2638

Regarding claim 31, in line 22, "the Nyquist" is replaced by –a Nyquist--, in line 25, "all output" is replaced by –all outputs—, and in lines 25-26, "said analog output" is replaced by –an analog output--.

Allowable Subject Matter

- 3. Claims 1-31 are allowed.
- 4. The following is an examiner's statement of reasons for allowance:

Claims 1-31 are allowed over the prior art of record because the prior art of record does not disclose or obviate the claimed features of the independent claims. Specifically, the prior art of record does not disclose a storage means having stored outputs of a delta-sigma digital to analog converter corresponding to all possible values of an input to the converter and a plurality of digital to analog converters coupled to said storage means. Further, the rejections under 35 U.S.C. § 101 set forth in the office action dated August 23, 2004 have been withdrawn in view of the terminal disclaimer dated November 5, 2004.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Art Unit: 2638

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason M. Perilla whose telephone number is (571) 272-3055. The examiner can normally be reached on M-F 8-5 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vanderpuye Kenneth can be reached on (571) 272-3078. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

> lason M. Perilla July 7, 2005

jmp